



# A Comprehensive Examination of Machine Learning and Deep Learning Techniques for Rice Leaf Disease Identification

M. Venkatrao | P. Venkata Siva

Department of Computer Science and Engineering, Chalapathi Institute of Technology, Guntur, Andhra Pradesh, INDIA.

## To Cite this Article

M. Venkatrao & P. Venkata Siva (2026). A Comprehensive Examination of Machine Learning and Deep Learning Techniques for Rice Leaf Disease Identification. International Journal for Modern Trends in Science and Technology, 12(SI01), 55-59. <https://doi.org/10.5281/zenodo.19426914>

## Article Info

Received: 02 March 2026; Revised: 01 April 2026; Accepted: 04 April 2026.

**Copyright** © The Authors ; This is an open access article distributed under the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

---

## KEYWORDS

Accuracy, Machine Learning, Training Models, Rice Leaf Diseases, Detection Models, Support Vector Machines.

## ABSTRACT

By training models on massive datasets of rice leaf photos and differentiating between healthy and diseased leaves, machine learning and deep learning approaches are employed to identify rice leaf disease. To correctly identify and categorize rice leaf diseases, these models extract pertinent information from the pictures and use classification methods like Support Vector Machines or Convolutional Neural Networks. The measures adopted to assess the efficacy of the predictive models are accuracy, precision, recall, and F1 score. However, a variety of rice leaf problems can harm the crop. It will result in low-quality harvests and also have an impact on the crop's growth, and it's challenging. without the aid of a specialist, enables farmers to identify illnesses in rice crops at the appropriate time. Therefore, using an automated technique to find rice leaf disease is highly beneficial. Farmers should take safeguards early on to prevent harm to their crops. By automating the identification and classification process, Machine Learning (ML) and Deep Learning (DL) approaches give researchers useful tools for detecting rice leaf disease. With the use of these approaches, massive datasets of rice leaf pictures may be analyzed, facilitating the creation of precise and effective disease detection models. These methods can help researchers better understand rice leaf diseases, aid in early identification, and assist in the creation of efficient disease management procedures.

---

## INTRODUCTION

ML and DL approaches are being used in different domains like weather forecasting, credit card fraud

detection, healthcare, disease and cancer identification [1], Banking, E-Commerce, Vulnerabilities in Wireless Sensor Networks (WSNs) [2], and Internet of Things

(IoT) [3], etc. Rice is a crucial staple crop worldwide, serving as a primary food source for many, especially in Asia. Its high carbohydrate content provides energy for daily activities and is a reliable source of essential vitamins and minerals. Rice has a significant impact on food security and poverty alleviation, providing lives for millions of people of farmers worldwide. The rice industry has substantial economic impacts, contributing to employment opportunities, income generation, and economic stability. Rice is also deeply rooted in cultural and social significance, symbolizing tradition, heritage, and identity. Rice cultivation also has environmental benefits, serving as a carbon sink and mitigating greenhouse gas emissions. Additionally, rice fields provide habitats for various species, supporting biodiversity in agricultural landscapes. India one of the biggest rice producers in the world, faces numerous challenges related to crop damages and losses in rice cultivation. These challenges can result from natural disasters, pests and diseases, weeds, post-harvest losses, and infrastructure and market challenges. Natural disasters like floods, droughts, cyclones, and heavy rainfall can cause significant damage to rice crops, causing crop loss and financial losses for farmers. Pests and diseases, such as blasts, bacterial leaf blight, brown spots, stem borers, and plant hoppers, can also lead to yield losses if not managed effectively. Weeds, which compete with rice plants for nutrients, water, and sunlight, require effective weed management practices.

Machine learning and deep learning approaches are increasingly used in agriculture to detect and diagnose diseases in crops like rice. These approaches utilize artificial intelligence to automate disease identification, enabling early detection and targeted treatment. Feature engineering involves extracting relevant features from rice leaf images, and using these features to train machine learning algorithms like decision trees, SVM, or random forests. Image classification involves training CNNs on raw pixel data, eliminating the need for explicit feature engineering. Transfer learning transfers pre-trained models to new models designed for rice leaf disease classification, fine-tuning them on smaller datasets for accurate disease detection. Object detection methods, including YOLO, SSD, and Faster R-CNN, help localize affected areas and identify multiple diseases for targeted treatment.

Generative Adversarial Networks (GANs) generate synthetic rice leaf images, improving performance and generalization capabilities. These approaches have shown promising results in rice leaf disease detection, enabling early diagnosis and effective disease management in agriculture. Post-harvest losses can result from inadequate storage and handling, leading to spoilage and reduced rice quality. Inadequate infrastructure for transportation, storage, and market access can also contribute to crop losses. Addressing these challenges requires a multi-faceted approach, including improved agricultural practices, access to better crop management techniques, timely availability of quality inputs, pest and disease monitoring systems, efficient irrigation systems, and improved post-harvest infrastructure. Government initiatives, research and development efforts, and farmer education and training programs are essential in mitigating crop damages and losses in rice cultivation in India.

## RELATED WORKS

Many researchers and scientists studied and conducted experiments to identify rice leaf diseases in the early stages. A few of them are Convolution Neural Networks (CNNs), Neural Networks (NNs), Support Vector Machines (SVMs), Random Forest (RF), Decision Trees (DT), Linear Regression (LR), and K-Nearest Neighbor (KNN). Table I shows the production of rice in various countries. Table II gives a review of rice leaf disease detection techniques. A few diseases that affect rice plants are studied below and are depicted in Fig.1 and Fig.2.

1. Blast Disease: Magnaporthe, a fungus, is responsible for the blast, a serious rice disease in India. It interferes with several development phases of rice, causing leaf and neck blasts. If the illness is not appropriately controlled, it can result in significant yield losses.
2. Bacterial Leaf Blight: Xanthomonas is the bacterium that causes bacterial leaf blight (BLB). Another common disease affecting rice is Oryza. Reduced yield is the result of leaf withering, yellowing, and brown lesions.
3. Sheath Blight: Sheath Blight is a typical rice disease in India that is brought on by the fungus Rhizoctonia. It causes ulcers and rot in the sheaths and leaves of the rice plant. Sheath Blight can result in severe yield losses, particularly in humid environments.

4. Brown Spot: Rice leaves are afflicted by Brown Spot, a foliar disease brought on by the fungus *Cochliobolus*. It results in tiny, oval-shaped lesions that have impaired photosynthesis and brown centers with yellow haloes on the leaf.



(a) Blast Disease

(b) Sheath Blight



(c) Brown Spot

(d) Bacterial Leaf

Fig. 1. Various Rice leaf infections [4]




Fig. 2. Rice leaf diseases [4]

TABLE I. PRODUCTION OF RICE IN 2022 BY VARIOUS COUNTRIES [4]

| S.No | Country       | Production of rice in 2022 [in lakhs of tonnes] |
|------|---------------|---|
| 1    | China         | 14.7  |
| 2    | India         | 12.4  |
| 3    | Bangladesh    | 3.56  |
| 4    | Indonesia     | 3.46  |
| 5    | Vietnam       | 2.72  |
| 6    | Thailand      | 2.01  |
| 7    | Burma         | 1.25  |
| 8    | Philippines   | 1.24  |
| 9    | Japan         | 0.77  |
| 10   | Brazil        | 0.72  |
| 11   | Pakistan      | 0.66  |
| 12   | Cambodia      | 0.59  |
| 13   | United States | 0.52  |
| 14   | Nigeria       | 0.50  |
| 15   | Korea, South  | 0.37  |
| 16   | Nepal         | 0.36  |

TABLE II. A REVIEW OF RICE LEAF DISEASE DETECTION TECHNIQUES

| Research                       | Methodology employed     | Diseases identified      | Performance metric                 | Demerits                |
|--------------------------------|--------------------------|--------------------------|------------------------------------|-------------------------|
| Amandeep Kaur et al., [4]      | Neural Network, SVM, KNN | Brown Spots, Hispa, Leaf | 96.5% and 98.3% accuracy on 10 and | Training time is more.  |
| U. Latha maheswari et al., [5] | Butterfly Optimization   | sheath blight, bacteri   | Accuracy = 89%                     | More diseases should be |
| Md. Simul Hasan Talukder et al | CNN                      | Nitrogen, Phospho        | Accuracy = 96.67%                  | A real-time dataset is  |
| Vimal K. Shrivastava et        | CNN                      | Rice blast,              | Accuracy = 93.11%                  | Accuracy can be         |
| Durgadevi Velusamy et          | SVM, KNN,                | brown spot               | Accuracy = 90.63%                  | Accuracy can be         |
| Raja Krishna Vamsee            | CNN                      | Leaf Blast,              | Accuracy = 91.43%                  | Accuracy can be         |
| Mehwish Moiz et al.,           | SVM, CNN,                | Leaf smut,               | Accuracy = 97%                     | Class imbalance         |
| Anandhan. K et al., [11]       | K-means algorithm        | Rice Stripe              | Accuracy= 89%                      | Accuracy can be         |
| Meenakshi Aggarwal et          | Federated                | Blast, Sheat             | Accuracy= 86%                      | Accuracy can be         |
| Vishesh Tanwar et al.,         | CNN and                  | Leaf smut                | Accuracy = 98%                     | Training time is        |
| Zihad Hossain Nayem et al.,    | CNN                      | Hispa, Tungr             | Accuracy = 88%                     | Accuracy can be         |

|                           |                 |                   |                  |                            |
|---------------------------|-----------------|-------------------|------------------|----------------------------|
| Manish Kumar et al., [15] | DenseNet121 and | Rice blast, Brown | Accuracy = 96.7% | Class imbalance problem is |
|---------------------------|-----------------|-------------------|------------------|----------------------------|

## OPEN CHALLENGES

While significant progress has been made in using DL and ML for the identification of rice leaf infection there are still some open challenges that researchers are working to address. Addressing these challenges will contribute to the development of more accurate, robust, and practical ML and DL solutions for rice leaf disease detection. To increase the accuracy and efficacy of disease detection systems in agriculture, researchers are actively investigating these areas. Table III shows a few of the ongoing challenges in this field.

TABLE III. OPEN CHALLENGES

| Feature                                | Open Challenge  |
|--|---|
| Limited Dataset Availability           | Developing accurate disease detection models requires large and diverse datasets. However, obtaining well-labeled and comprehensive datasets for rice leaf diseases can be challenging. There is a need for more extensive datasets that cover various disease types, stages, and variations, as well as diverse environmental conditions.  |
| Data Imbalance [16]                    | Imbalanced datasets, where certain disease classes have fewer samples than others, can affect the performance of ML models. In rice leaf infection identification, some diseases may be less prevalent or have fewer instances in the dataset. Addressing data imbalance is crucial to ensure that the models are trained and evaluated effectively for all disease classes.  |
| Generalization to Unseen Diseases      | Most existing models are designed to detect specific known diseases. However, new and emerging diseases can occur, and it is crucial to create models that can generalize well to detect unseen diseases. Building models that can adapt and learn from limited labeled data of new diseases is a challenging task.   |
| Robustness to Environmental Variations | Environmental factors such as lighting conditions, rainfall [17], weather [18], temperature, humidity, camera angles, and growth stages can introduce variations in rice leaf images. Models need to be robust to such variations to ensure accurate disease detection in real-world conditions. Addressing these challenges requires data augmentation techniques and the development of models that can generalize across different environmental conditions. |
| Interpretability and                   | It might be difficult to understand the judgments made by deep learning models since they are   |

|                              |   |
|------------------------------|---|
| Explainability               | generally seen as "black boxes," especially complicated structures like CNNs. Interpretability is essential in agricultural applications so that farmers and agronomists can comprehend the assumptions behind disease forecasts. It is a continuous struggle to develop methods to explain or visualize model choices.                     |
| Real-Time Disease Monitoring | Real-time disease monitoring is essential for timely interventions and effective disease management. Developing models that can perform fast and accurate disease detection in real-time scenarios, such as using embedded systems or edge computing, is a challenge that requires optimizing model size, speed, and resource requirements. |

## CONCLUSION

ML and DL technologies are used to diagnose rice leaf disease by training models on enormous datasets of pictures of rice leaves and discriminating between healthy and diseased leaves. These models employ classification techniques like Support Vector Machines and Convolutional Neural Networks to accurately identify and classify rice leaf diseases by extracting relevant data from the images. The measures adopted to evaluate the efficacy of the predictive models are accuracy, precision, recall, and F1 score. However, several rice leaf problems might be detrimental to the crop. It's challenging, will result in low-quality harvests, and will have an impact on the development of the crop. gives farmers the ability to identify illnesses in rice crops at the appropriate time without the aid of a professional. Therefore, finding rice leaf disease using an automated method is quite helpful. Early precautions should be taken by farmers to protect their crops. ML and DL approaches that automate the detection and classification process have given researchers useful tools for recognizing rice leaf disease. These methods allow for the analysis of large datasets of images of rice leaves and the development of precise and efficient disease detection algorithms. These techniques can aid in early detection, improved understanding of rice leaf diseases, and the development of effective disease control approaches.

### Conflict of interest statement

Authors declare that they do not have any conflict of interest.

## REFERENCES

- [1] R. P. R, K. Vivek, M. Srinivasa Rao, P. Kiran, P. Arun Nambi and C. K. Kumar, "Artificial Neural Network Based Effective Detection of Breast Cancer By Using Mammogram Data," 2023 1st International Conference on Innovations in High Speed Communication and Signal Processing (IHCSPP), BHOPAL, India, 2023, pp. 437-440, doi: 10.1109/IHCSPP56702.2023.10127211.
- [2] Vivek, Kolla, et al. "An Efficient Triple-Layered and Double Secured Cryptography Technique in Wireless Sensor Networks." 2021 IEEE International Conference on Distributed Computing, VLSI, Electrical Circuits and Robotics (DISCOVER). IEEE, 2021.
- [3] Rao, K. Venkateswara, et al. "A Study on Defensive Issues and Challenges in Internet of Things." High Performance Computing and Networking: Select Proceedings of CHSN 2021 (2022): 591-601.
- [4] A. Kaur, K. Guleria and N. Kumar Trivedi, "A Deep Learning based Model for Rice Leaf Disease Detection," 2022 10th International Conference on Reliability, Infocom Technologies and Optimization (Trends and Future Directions) (ICRITO), Noida, India, 2022, pp. 1-5, doi: 10.1109/ICRITO56286.2022.9964487.
- [5] U. Lathamaheswari and J. Jebathangam, "A Novel Deep Belief Network with Butterfly Optimization Algorithm for the Classification of Paddy Leaf Disease Detection," 2023 Third International Conference on Artificial Intelligence and Smart Energy (ICAIS), Coimbatore, India, 2023, pp. 789-796, doi: 10.1109/ICAIS56108.2023.10073684.
- [6] M. S. Hasan Talukder, A. Krishno Sarkar and M. Nuhi-Alamin, "An Improved Model for Nutrient Deficiency Diagnosis of Rice Plant by Ensemble Learning," 2022 4th International Conference on Sustainable Technologies for Industry 4.0 (STI), Dhaka, Bangladesh, 2022, pp. 1-6, doi: 10.1109/STI56238.2022.10103280.
- [7] V. K. Shrivastava, M. K. Pradhan and M. P. Thakur, "Application of Pre-Trained Deep Convolutional Neural Networks for Rice Plant Disease Classification," 2021 International Conference on Artificial Intelligence and Smart Systems (ICAIS), Coimbatore, India, 2021, pp. 1023-1030, doi: 10.1109/ICAIS50930.2021.9395813.
- [8] D. Velusamy, A. Mounika, D. Ragulraj, and K. Vigneshwaran, "Automatic Disease Classification of Paddy Leaf Images Using Deep Learning Algorithms," 2023 4th International Conference on Signal Processing and Communication (ICSPC), Coimbatore, India, 2023, pp. 325-329, doi: 10.1109/ICSPC57692.2023.10125872.
- [9] R. K. Vamsee Kongara, V. Siva Charan Somasila, N. Revanth, and R. D. Polagani, "Classification and Comparison Study of Rice Plant Diseases using Pre-Trained CNN Models," 2022 International Conference on Inventive Computation Technologies (ICICT), Nepal, 2022, pp. 140-145, doi: 10.1109/ICICT54344.2022.9850784.
- [10] M. Moiz, M. Akmal, M. S. Ishtiaq, and U. Javed, "Classification of Rice Leaves Diseases by Deep CNN-Transfer Learning Approach for Improved Rice Agriculture," 2022 International Conference on Emerging Trends in Electrical, Control, and Telecommunication Engineering (ETEECTE), Lahore, Pakistan, 2022, pp. 1-6, doi: 10.1109/ETEECTE55893.2022.10007235.
- [11] K. M S, R. R. G and S. Karthik, "Streamlining Load Scheduling in Cloud Computing: A Thorough Performance Assessment and Development of Effective Methods for Design," 2024 International Conference on Advances in Modern Age Technologies for Health and Engineering Science (AMATHE), Shivamogga, India, 2024, pp. 1-7, doi: 10.1109/AMATHE61652.2024.10582239.
- [12] Sai Srinivas Vellela, Roja D, NagaMalleswara Rao Purimetla, SyamsundaraRao Thalakola, Lakshma Reddy Vuyyuru, Ramesh Vatambeti, Cyber threat detection in industry 4.0: Leveraging GloVe and self-attention mechanisms in BiLSTM for enhanced intrusion detection, Computers and Electrical Engineering, Volume 124, Part A, 2025, 110368, ISSN 00457906, <https://doi.org/10.1016/j.compeleceng.2025.110368>.
- [13] S. S. Vellela, L. R. Vuyyuru, K. B. S. K, N. MalleswaraRaoPurimetla, L. Dalavai and M. V. Rao, "A Novel Approach to Optimize Prediction Method for Chronic Kidney Disease with the Help of Machine Learning Algorithm," 2023 6th International Conference on Contemporary Computing and Informatics (IC3I), Gautam Buddha Nagar, India, 2023, pp. 1677-1681, doi: 10.1109/IC3I59117.2023.10397974.
- [14] Kavitha Mettupalayam Subramaniam, Ramachandra Rao Goli, Karthik Subburathinam, Srihari Kannan, Optimization of pyrolysis parameters for enhanced biochar production from agricultural biomass: A study on energy efficiency and carbon sequestration potential, Science of The Total Environment, Volume 1015, 2026, 181362, ISSN 00489697, <https://doi.org/10.1016/j.scitotenv.2026.181362>.
- [15] K. K. Kumar, S. G. B. Kumar, S. G. R. Rao and S. S. J. Sydulu, "Safe and high secured ranked keyword search over an outsourced cloud data," 2017 International Conference on Inventive Computing and Informatics (ICICI), Coimbatore, India, 2017, pp. 20-25, doi: 10.1109/ICICI.2017.8365348.
- [16] R. K. Yarava, G. R. C. Rao, Y. Garapati, G. C. Babu and S. D. V. Prasad, "Analysis on the Development of Cloud Security using Privacy Attribute Data Sharing," 2022 First International Conference on Electrical, Electronics, Information and Communication Technologies (ICEEICT), Trichy, India, 2022, pp. 1-5, doi: 10.1109/ICEEICT53079.2022.9768608.
- [17] K. K. Kommineni and A. Prasad, "A Review on Privacy and Security Improvement Mechanisms in MANETs", Int J Intell Syst Appl Eng, vol. 12, no. 2, pp. 90-99, Dec. 2023.
- [18] Kommineni, K.K., Prasad, A. Enhancing Data Security and Privacy in SDN-Enabled MANETs Through Improved Data Aggregation Protection and Secrecy. Wireless Pers Commun 139, 855-882 (2024). <https://doi.org/10.1007/s11277-024-11635-w>
- [19] "Blockchain-Enabled Secure Data Aggregation for SDN-Enabled Ad-Hoc Networks," International Journal of Intelligent Engineering and Systems, vol. 18, no. 5, pp. 704-717, Jun. 2025, doi: <https://doi.org/10.22266/ijies2025.0630.49>.
- [20] K. K. Kommineni, P. Ande, "Blockchain-driven key management and privacy-preserving data Aggregation Scheme for SDN-enabled MANETs," International Journal of Intelligent Engineering and Systems, vol. 18-18, no. 9, pp. 601-615, 2025, doi: 10.22266/ijies2025.1031.39.