



Evaluation of Mean Deviation Techniques to Solve Multi-Objective Fractional Programming Problem via Point Slopes Formula

Chandra Sen¹ | Sukriti Gangwar²

¹Former Professor & Head, Department of Agricultural Economics, Institute of Agricultural Sciences, Banaras Hindu University, Varanasi-221005, India. Email: chandra_sen@rediffmail.com

²Former Technical Consultant at Verily Life Sciences, San Francisco, USA Tower 11-701, Alaknanda Enclave, AwadhViharYojna, Shaheed Path, Lucknow-226002, India Email: sukritigangwar1411@gmail.com

To Cite this Article

Chandra Sen and Sukriti Gangwar. Evaluation of Mean Deviation Techniques to Solve Multi-Objective Fractional Programming Problem via Point Slopes Formula. *International Journal for Modern Trends in Science and Technology* 2021, 7 pp. 266-269. <https://doi.org/10.46501/IJMTST0712050>

Article Info

Received: 15 November 2021; Accepted: 12 December 2021; Published: 20 December 2021

ABSTRACT

New Mean Deviation Techniques for solving multi-objective fractional programming problems via point slope formula have been proposed recently. A modified equation for the formulation of multi-objective function was suggested. The method is not appropriate for multi-dimensional objective functions. The examples with unique solutions for all the objectives have been used in the study. The results have not been interpreted appropriately.

Keywords: Multi-Objective Linear Fractional Programming Problem, Multi-Objective Quadratic Fractional Programming Problem, Point-Slopes Formula, Mean Deviation.

1. INTRODUCTION

Most of the multi-objective optimization (MOO) problems are solved using multi-objective function. The first appropriate technique for formulation of multi-objective function was suggested by Sen in 1983 [1]. Since then several new techniques for the formulation of multi-objective function have been proposed [2],-----[14]. New mean deviation technique have been suggested [15] recently is evaluated in this study. The technique has been tested with examples. The results of the proposed technique has been compared with the existing techniques. The formulation of multi-objective function with various techniques is described below.

2. FORMULATION OF MULTI-OBJECTIVE FUNCTION

2.1 Sen's MOO Technique

Sen's multi objective function is mentioned below:

Optimize $Z = \text{Max. } Z_1, \dots, \text{Max. } Z_m, \text{Min. } Z_{m+1}, \dots, \text{Min. } Z_n$

$$\text{Max. } Z = \sum_{i=1}^m \frac{Z_i}{|\theta_i|} - \sum_{j=m+1}^n \frac{Z_j}{|\theta_j|}$$

Subject to;

$$AX \geq, \leq, = b$$

$$X \geq 0$$

Where;

Z is the multi- objective function, Z_i is the i^{th} maximization objective function and Z_j

is the j^{th} minimization objective function. $|\Theta_i|$ is the optimal value of i^{th} maximization objective function and $|\Theta_j|$ is the optimal value of j^{th} minimization objective function. X

are the decision variables, A is the coefficients matrix and b is the constraint vector.

2.2 Averaging Techniques

$$\text{Max. } Z = \sum_{i=1}^m \frac{Z_i}{\Theta_i} - \sum_{j=m+1}^n \frac{Z_j}{\Theta_j}$$

Where;

Θ_i are the mean of optimal values of maximization objective functions and Θ_j are the mean of optimal values of minimization objective functions. The other things will be same as mentioned in Sen's MOO technique.

2.3 New Mean Deviation Technique

The new mean deviation factors MD_m and MD_n are estimated as detailed below:

For maximization objectives the MD_m is calculated as

$$MD_m = \sum_{i=1}^m \frac{Z_i}{Z_m}$$

And for minimization objectives the MD_n is estimate as

$$MD_n = \sum_{j=m+1}^n \frac{Z_j}{Z_n}$$

Where;

MD_m and MD_n are mean deviation factor for maximization and minimization objectives respectively. The new mean deviation (NMD) is estimated as explained below:

$$\text{NMD} = (MD_m + MD_n) / R$$

Where $R =$ Number of objectives / Types of objectives

2.4 Advanced Mean Deviation Technique

The advanced mean deviation (AMD) is estimated as

$$\text{AMD} = (MD_m + MD_n) / S$$

Where ;

$S =$ Number of objectives

Using all the above four factors the multi-objective function is formulated for solving the MOO problems.

Two examples have been solved as detailed below.

3. EXAMPLES

Following two examples have solved using above mentioned techniques.

Example 1:

$$\text{Max. } Z_1 = [(2x_1+x_2+1)(2x_1+x_2+2)] / (2x_1+2x_2+2),$$

$$\text{Max. } Z_2 = [(4x_1+2x_2+2)(6x_1+3x_2+6)] / (3x_1+3x_2+3)$$

$$\text{Max. } Z_3 = [(4x_1+2x_2+2)(6x_1+3x_2+6)] / (6x_1+3x_2+6)$$

$$\text{Min. } Z_4 = [(-8x_1-4x_2-4)(6x_1+3x_2+6)] / (5x_1+5x_2+5),$$

$$\text{Min. } Z_5 = [(-4x_1-2x_2-2)(10x_1+5x_2+10)] / (2x_1+2x_2+2)$$

Subject to:

$$x_1 + 2x_2 \leq 4$$

$$3x_1 + x_2 \leq 6$$

$$x_1, x_2 \geq 0$$

Example 2:

$$\text{Max. } Z_1 = (3x_1-2x_2) / (x_1+x_2+1)$$

$$\text{Max. } Z_2 = (9x_1+3x_2) / (x_1+x_2+1)$$

$$\text{Max. } Z_3 = (3x_1+5x_2) / (2x_1+2x_2+2)$$

$$\text{Min. } Z_4 = (-6x_1+2x_2) / (2x_1+2x_2+2)$$

$$\text{Min. } Z_5 = (-3x_1-x_2) / (x_1+x_2+1)$$

Subject to:

$$x_1 + x_2 \leq 2$$

$$9x_1 + x_2 \leq 9$$

$$x_1, x_2 \geq 0$$

4. SOLUTIONS

The solutions of both the examples have been presented in table 2 and 4. The results of individual optimizations have also been mentioned in table 1 and 2. It is very clear from individual optimizations that all the objectives in both the examples have unique solutions. This clearly indicated the absence of conflicts amongst objectives and multi-objective optimization is not required. The values of each objective is same in individual as well as in the multi-objective optimizations. However, the values of multi-objective functions were different for all the MOO techniques. The values of multi-objective functions are not good indicators for making any conclusion. The MOO techniques with higher values of multi-objective function are declared superior which is wrong conclusion.

Table 1: Individual Optimization of example 1

Item	Individual optimization				
	Max. Z ₁	Max. Z ₂	Max. Z ₃	Min. Z ₄	Min. Z ₅
X ₁ , X ₂	2, 0	2, 0	2, 0	2, 0	2, 0
Z ₁	5	5	5	5	5
Z ₂	20	20	20	20	20
Z ₃	10	10	10	10	10
Z ₄	-24	-24	-24	-24	-24
Z ₅	-50	-50	-50	-50	-50

Table 2: Individual Optimization of example 2

Item	Individual optimization				
	Max. Z ₁	Max. Z ₂	Max. Z ₃	Min. Z ₄	Min. Z ₅
X ₁ , X ₂	1, 0	1, 0	1, 0	1, 0	1, 0
Z ₁	1.5	1.5	1.5	1.5	1.5
Z ₂	4.5	4.5	4.5	4.5	4.5
Z ₃	0.75	0.75	0.75	0.75	0.75
Z ₄	-1.5	-1.5	-1.5	-1.5	-1.5
Z ₅	-1.5	-1.5	-1.5	-1.5	-1.5

Table 3: Multi-Objective Optimization for Example 1

Item	Sen's MOO	Advanced Optimal Average	Advanced Harmonic Average	New Mean Deviation	Advanced Mean Deviation
X ₁ , X ₂	2, 0	2, 0	2, 0	2, 0	2, 0
Z'	5	18.793	13.1707	14.6855	29.3712
Z ₁	5	5	5	5	5
Z ₂	20	20	20	20	20
Z ₃	10	10	10	10	10
Z ₄	-24	-24	-24	-24	-24
Z ₅	-50	-50	-50	-50	-50

Table 4: Multi-Objective Optimization for Example 2

Item	Sen's MOO	Advanced Optimal Average	Advanced Harmonic Average	New Mean Deviation	Advanced Mean Deviation
X ₁ , X ₂	1, 0	1, 0	1, 0	1, 0	1, 0
Z'	5	21.6666	9.75	16.25	32.5
Z ₁	1.5	1.5	1.5	1.5	1.5
Z ₂	4.5	4.5	4.5	4.5	4.5
Z ₃	0.75	0.75	0.75	0.75	0.75
Z ₄	-1.5	-1.5	-1.5	-1.5	-1.5
Z ₅	-1.5	-1.5	-1.5	-1.5	-1.5

5. CONCLUSION

The whole analysis reveals that the proposed mean deviation technique for solving MOO problems is not appropriate. The examples used for testing the technique were not suitable. The conclusions drawn with the results were not satisfactory.

REFERENCES

- Sen, C. (1983) A new approach for multi-objective rural development planning. *The Indian Economic Journal* 30(4), 91-96.
- Nejmaddin A. Sulaiman and Gulnar, W. Sadiq. (2006) Solving the Multi Objective Programming Problem Using Mean and Median Value. *Raf. J. of Comp. & Math's*. Vol. 3(1), 69-82.
- Nejmaddin A. Sulaiman, Basiya K. Abulrahim (2013) Arithmetic Average Transformation Technique to Solve Multi-Objective Quadratic Programming Problem. *Journal of Zankoy Sulaimani*,15(1), 57-69.
- Nejmaddin A. Sulaiman, Gulnar W. Sadiq&Basiya K. Abdulrahim. (2014) New Arithmetic average technique to solve Multi-Objective Linear Fractional Programming: Problem and its comparison with other techniques *International Journal of Research and Reviews in Applied Sciences*, Vol.18 (2), 122-131.
- Nejmaddin A. Sulaiman, Rebaz B. Mustafa, (2016) Using harmonic mean to solve multi-objective linear programming problems. *American Journal of Operations Research*, 6, 25-30. DOI:10.4236/ajor.2016.61004
- AkhtarHuma, ModiGeeta and DurapheSushma, (2017), Transforming and Optimizing Multi-Objective Quadratic Fractional Programming Problem. *International Journal of Statistics and Applied Mathematics*, Vol. 2, (1) 01-05.
- SamsunNahar, Md. Abdul Alim (2017) A New Statistical Averaging Method to Solve Multi-Objective Linear Programming Problem. *International Journal of Science and Research*. Vol. 6(8), 623-629. DOI: 10.21275/ART20175911
- Akhtar, Huma, GeetaModi and SushmaDuraphe (2017) An Appropriate Approach for Transforming and Optimizing Multi-Objective Quadratic Fractional Programming Problem. *International Journal of Mathematics Trends and Technology* ,Vol. 50 (2), 80-83. DOI:10.14445/22315373/IJMTT-V50P511
- SamsunNahar, Md. Abdul Alim (2017). A New Geometric Average Technique to Solve Multi- Objective Linear Fractional Programming Problem and Comparison with New Arithmetic Average Technique. *IOSR Journal of Mathematics (IOSR-JM)*Vol. 13, (3), 39-52. DOI: 10.9790/5728-1303013952
- Zahidul Islam Sohag, Md. Asadujaman (2018).A Proposed New Average Method for Solving Multi-Objective Linear Programming Problem Using Various Kinds of Mean Techniques.*MathematicsLetters* , 4(2): 25-33. DOI: 10.11648/j.ml.20180402.115
- amsun Nahar, SamimaAkther, Mohammad Abdul Alim (2018) Statistical Averaging Method and New Statistical Averaging Method for Solving Extreme Point Multi-Objective Linear Programming Problem, *Mathematics Letters*, 4(3): 44-50. DOI:10.11648/j.ml.20180403.12
- Basiya K. Abdulrahim, Shorish O. Abdulla (2019). Using Interactive Techniques and New Geometric Average Techniques to Solve MOLFP. *Journal of University of Garmian*, Vol. 6 (3), 375-382. <https://doi.org/10.24271/garmian.196363>
- MargiaYesmin, Md. Abdul Alim (2021) Advanced Transformation Technique to Solve Multi-Objective Optimization Problems. *American Journal of Operations Research*, 11,166-180. <https://doi.org/10.4236/ajor.2021.113010>
- Jain, S., Mangal, A. (2021) Solution of Multi-Objective Linear Programming problem using modified Fourier Elimination

Technique & AHA Simplex Algorithm. *Aryabhata Journal of Mathematics & Informatics*. Vol. 12 No. 2, 211-221.

15. Rebaz B. Mustafa, Nejmaddin A. Sulaiman (2021) A new Mean Deviation and Advanced Mean Deviation Techniques to Solve Multi-Objective Fractional Programming Problem via Point-Slopes Formula. *Pakistan Journal of Statistics and Operation Research*, Vol.17 No. 4, pp 1051-1064

